



## INTRODUCTION

Saint-Gobain India Pvt. Ltd. - Gyproc business is a pioneer and market leader in offering drywall and ceiling solutions in India

To meet the challenges of modern day construction and to develop a better understanding as well as adoption of dry & light weight construction technology we are pleased to bring to you "The Drywall Hand Book"a comprehensive compendium of internal lining and encasement solutions compiled by a team of experts based on experience and knowledge in all aspects of building construction.

Whenever you specify from "The Drywall Hand Book" you can be sure of premium quality solutions and the combined expertise of Gyproc India technical experts and on-site team to support you from initial design right through to installation and beyond.

To support the adoption of dry construction technology Gyproc India has also established the Gyproc Solution Centre. The function of the Gyproc Solution Centre is to provide value added services like

- Drywall Design support
- Quantity estimation
- On-site technical support during execution

#### 1. ABOUT GYPROC

CONTENTS

#### 2. ABOUT DRYWALL

- A. What is Drywall?
- B. Benefits of Drywall
- C. Comparison with Brick Wall
- D. Different Types of Drywall
- E. How to Build a Drywall?
- F. Drywall Tools

#### **3. BASIC PRINCIPLES TO DESIGN A DRYWALL**

- A. Key Design Criteria
- B. Height
- C. Thermal Insulation
- D. Fire Safety
- E. Acoustics
- F. Robustness

#### • 4. COMPONENTS OF DRYWALL

- A. GypSerra™ Metal Framing System
- B. Gypsteel ULTRA® Metal Framing System
- C. Boards
- D. Jointing and Finishing
- E. Associated Products

#### 5. DRYWALL SYSTEM SELECTOR

#### 6. TYPICAL DETAILS OF DRYWALL CONSTRUCTIO

- A. Construction Details
- B. Boarding Details
- C. Junction Details
- D. Loading Details
- E. Door & Window Opening Details
- F. Service Management
- G. Wet Area Details
- H. Jointing and Finishing

#### **7. GYPROC® STANDARDS**

8. PROJECT REFERENCES



	8
	8
	9
	10
	11
	12
	12
	16
	17
	18
	19
	21
	24
	28
	33
	37
	41
	42
	43
N	
	48
	50
	51
	53
	54
	56
	58
	61
	63

69

#### **ABOUT SAINT-GOBAIN**

A world leader in habitat and construction market, Saint-Gobain designs, manufactures and distributes high-performance building materials providing innovative solutions to the challenges of growth, energy-efficiency and environmental protection. In 2015, Saint-Gobain celebrated its 350th anniversary - 350 reasons to believe in the future. With 2016 sales of €39.1 billion, Saint-Gobain operates in 67 countries and has more than 170,000 employees.

#### SAINT-GOBAIN INDIA PVT. LTD. – GYPROC BUSINESS

Gyproc is a market leader in the light weight interior construction space in India for more than 30 years. Our product range includes gypsum plasterboard systems for false ceilings and drywall partition applications, acoustical ceiling tiles (gypsum, mineral fibre, metal & glass wool) and gypsum plastering solutions plus a complementary range of metal framings, along with jointing & finishing products. At Gyproc, we are committed to contribute to a sustainable habitat and in this regard we have initiated to monitor the environmental impact of our products during its life cycle. Our products are certified by leading green organisations like IGBC & GRIHA.

#### **PRODUCT AND SERVICES**

Our Gyproc business provides a comprehensive range of plasterboards; including Fireline (fire resistant), Sound Bloc (acoustics), MR (moisture resistant) and Fiber cement boards for wet area applications.

Our offering includes an all-encompassing grid ceiling range of Gypsum tiles, Mineral fiber tiles, Acoustic Big Boards and Metal tiles. We also provide a complete range of metal components & accessories, jointing & finishing products and plastering solutions for walls and ceilings.

#### **MANUFACTURING FACILITIES**

Gyproc has Four Manufacturing facilities in India, At Wada (Near Mumbai), Jind (Haryana), Bengaluru & Jhagadia (Gujarat). We are fully equipped with competent technical capability to cater to the needs of different stake holders.











- Innovative Materials
- Construction Products
- Building Distribution



## COMMITMENT TOWARDS ENVIRONMENT AND QUALITY




The world of Gyproc is about providing innovative building solutions to meet the demands of customer for sustainable performance solutions. Sustainability is the core of Saint-Gobain Gyproc India's strategy and the entire product range fulfills Green Building norms laid down by CII-IGBC (LEED rating).



## END TO END PROJECT SOLUTIONS BY GYPROC

Gyproc, a part of the Saint-Gobain group, is a world leader in offering light-weight construction solutions, and a pioneer in establishing drywall solutions in India.

#### We provide end to end solutions for all your project requirements:





ONSITE TRAINING



TECHNO-COMMERCIAL PROPOSAL



SITE AUDITS



SHOP DRAWING

## **SKILL DEVELOPMENT**

As market leaders, Saint-Gobain Gyproc India started the Skill Building initiative to create opportunities for the unskilled manpower working in Gypsum Industry to learn and earn their livelihood. Through training programs, this initiative has been helping our manpower to become more competent and efficient, resulting in improved quality of execution across projects, and enhanced customer satisfaction.



NAC, Hyderabad





Vijaywada







**GMRVF**, Hyderabad

Lucknow



ITI, Aara Chhatisgarh

For outstanding contribution towards Skill Development Initiative, Gyproc India has been awarded by distinguished institutions.







## INITIATIVES TO DRIVE GROWTH THROUGH LEADERSHIP.

#### **Smart Green Summit & Awards**

The Smart Green Summit is a part of Saint-Gobain's 'SHAPING THE FUTURE' initiative that focuses on Well-being in Living Spaces, presented in partnership with The Economic Times. The summit focuses on bringing to lime light, the innovative initiatives in the area of tomorrow's sustainable habitat by recognizing people or organizations behind them.




#### Gyproc Trophy

Gyproc Trophy - a part of an International Gypsum trophy, is a platform to showcase innovative projects and excellent contracting skills using modern plasterboard systems and gypsum plastering. Held once in two years, it started in 1998 and India received the President's Prize for the J W Marriott Mumbai Project at the 10th International Gypsum Trophy in 2016.



**1st Gyproc Trophy, Goa** 35 CONTRACTORS | 101 PROJECTS







**2nd Gyproc Trophy, Udaipur** 48 CONTRACTORS | 134 PROJECTS



**3rd gyproc Trophy, Aamby Valley** 43 CONTRACTORS | 134 PROJECTS




**4th Gyproc Trophy, Kovalam.** 51 CONTRACTORS | 156 PROJECTS



#### What is Drywall?

Drywall is a high performance light-weight partition system consisting of GI steel frame encased with gypsum plasterboards on either side attached through self drilling drywall screws. The joints are then taped and finished with gypsum jointing compound.



#### Benefits of Drywall



#### SPEED OF INSTALLATION

3 to 4 times faster than masonry construction



#### LIGHT WEIGHT

8 to 10 times lighter than masonry systems



## AESTHETIC APPEAL

VERSATILITY

Seamless and crack free surfaces, allowing ease of decoration via paint, tiles or wall papers




#### The systems enable use in all internal areas of your home and commercial areas

# A B O U T D R Y W A L L

- A. What is Drywall?
- B. Benefits of Drywall
- C. Comparison with Brick Wall
- D. Different Types of Drywall
- E. How to Build a Drywall?
- F. Drywall Tools



www.gyproc.in | e-mail: gyprocindia@saint-gobain.com



**Ceiling Channel** 

Gyproc<sup>®</sup> Plaster Boards On Either sides

Jointing & Finishing

Stud

Acoustic Insulation

Floor Channel



#### DRY CONSTRUCTION

Clean and dust free work environment



#### FLEXIBILITY

In creating and dividing spaces according to your needs

**EXCELLENT PERFORMANCE** 

sound insulation

In terms of fire protection and





#### **ENVIRONMENT FRIENDLY**

Green product which is recyclable and is made of environment friendly material




#### Comparison with Brick Wall

Drywall is a high performance light weight partition system consisting of GI steel frame encased with gypsum plasterboards on either side attached through self drilling drywall screws. The joints are then taped and finished with gypsum jointing compounds.



Parameters	Drywall	Brick wall
Speed of installation*	40-50m²/day	10m²/day
Water saving	Yes	No
Weight	Lightest - 19Kg/m² (non load bearing)	230Kg/m² (load bearing)
Fire Rating	Can be designed to provide stability, integrity and insulation	Weak in terms of insulation
Usage in Wet Areas	Yes	Yes
Wall Surface	Smooth and crack free surfaces	Difficult to get very smooth surfaces even with skilled labour
Sound insulation	Upto 65dB possible with insulation	35-40dB
Heat insulation	Four times less heat convection K=0.16W/m K	High heat convection, K=0.81W/m K
Quality of Material	Standard quality, supply from single source	Difficult to control, various sources of
Quality of Wall	Standard installation, easy to control	Depending on labour skills
Services	Easy through cavity	Chasing in wall is required

#### Different types of Drywall



#### 1. Dry Lining Systems:

- · Suited specially for lining of interior of exterior walls.
- Less or no background prepration like plasters is required as this system contains adjustable brackets.
- Improved thermal, sound and fire insulation of masonry walls.

#### 2. Interior Partition Systems:

- These systems basically used for partitioning in commercial offices (cabin to cabin).
- The thickness varies from 75mm to 100mm.
- Provide acoustics upto 45dB and passive fire protection from 30mins to 60 mins.
- Light weight partition (varies from 20kg/m<sup>2</sup> to 30kg/m<sup>2</sup>).
- Flexible and easy to install.
- High Quality of interior finish.

#### 3. Performance partition Systems:

- These systems are used for hotels, hospitals, residential, entertainment (cinema wall) and industrial sector.
- High level of acoustics (50dB to 70dB) can be achieved.
- Provides passive fire protection (1hr to 4hr).
- Flexible and easy to install.
- High Quality of interior finish.
- Various types of loading (TV, Head Board, Heavy Fixtures) can be done.

\* 1 mason + 1 helper



## How to Build a Drywall?

## ▶ Installation

\_\_\_\_

1• Line marking	2• Fixing of floor channel	
3• Fixing of ceiling channel	4• Fixing of starter stud	
5• Placing of studs	6∙ Creating opening for door & windows	
7• Crimping of studs	8• Fixing of Noggin channel	
9• Provision for planned loading	10• Passing of services	
11• Insulation inside cavity	12• Boarding	21
13• Complete Jointing Finishing by using Compound & Tape	14• Remove excess Jointing Compound before surface coating	

## Drywall Tools

Fixing Tools



	Usage	Application
	To Fix metal sections on structure	
A COMPANY AND A COMPANY	To drill a hole in to the structure	
	To fix Gypsum board on metal frame with drywall screws	
	To fix stud to Floor Channel	
2	To fix angle bead at external corner of Drywall & step ceiling	
	For fixing of drywall screws on Gypsum board	
	To stop screw from deep penetration  inside board	

12

|\_\_\_

## Cutting Tools

\_\_\_\_

Name	Tools	Usage	Application
Metal Cutter		To Cut metal section	
Crocoplac		To cut board for switch box opening	
5 Hole saw set	880	To make hole in gypsum board dia upto 100mm	•
5 Hole saw set		To create additional round cut out in stud	
HSS step Drill		To make Circle in Gypsum board for light opening	

## Marking Tools



## Finishing tools





	Usage	Application
)	Sanding of cut edges of Board	
	To Finish Internal Corner of Drywall & ceiling	Leve
	To embed tape on board joints	
	To spread the jointing compound on board joints	

To carry one board	4
To carry two or more boards	H
To lift board from floor while fixing	



|\_\_\_

## Key Design Criteria





- b) Fire rating required Fire rating criteria is governed by the National Building Code. The fire rating is calculated on the basis of 3 parameters i.e. stability, integrity and insulation.
- Stability The Load bearing element must support its design load for the duration of the test.
- Integrity The separating element must resist collapse, the occurrence of holes, gaps or fissures through which flames and hot gases can pass and sustain flaming on unexposed face.
- Insulation A separating element must restrict the temperature rise of the unexposed face below specified levels (140° C min temperature to 180° C max temperature ). Drywall solutions can be designed to give fire rating of 4 hours of stability, integrity and insulation.

## **BASIC PRINCIPLES TO DESIGN A DRYWALL**

- A. Key Design Criteria
- Height Β.

3

- **Thermal Insulation** C.
- Fire Safety D.
- Acoustics Ε.
- Robustness





- of STC or Rw.
- assembly's barrier effect.
- from 100 Hz to 4000 Hz.
- frequencies between 100-4000 Hz. loading requirements need to be detailed.



are preffered.

www.gyproc.in | e-mail: gyprocindia@saint-gobain.com

a) Height of the wall - The height can be increased by using boxed stud or decreasing the stud spacing to 407mm/305mm. The height of drywall depends upon the thickness of Drywall & the spacing of studs. Drywall can be built for height upto 17m and more.

c) Duty Rating required - All Drywall partition systems have duty rating as defined under BS 5234, part 2. The duty rating may vary from Light to Medium to Heavy to Severe. This rating relates to the strength and robustness characteristics of the partition system against specific end use

d) Acoustic requirements - The acoustic requirements of a Drywall system is measured in terms

• The Sound Transmission Class (STC) or Rw is a single-number rating of a material's or

• Higher the STC / Rw values, higher will be the sound insulation of drywall. This rating assesses the airborne sound transmission performance at a range of frequencies

• A partition is rated by measuring the sound transmission loss over a range of 16 different

Apart from this all services requirements (electrical, plumbing etc), planned and unplanned

e) Moisture - The drywall system varies with the level of moisture present in the application area. For wet area application, Moisture resistant (MR Board) /GlassRoc H board/Cement Fibre boards



#### Height

#### Maximum partition heights

Maximum partition height of the drywall is based on the level of lateral deflection under a given uniformly distributed load (UDL). The criterion is that the maximum lateral deflection of the partition should not exceed L/240 criteria (where L is the partition height) when the partition is uniformly loaded to 200 Pa of wind pressure level. This methodology is followed for arriving at maximum partition height.

#### Different types of Drywall

Stud Size	Stud Thickness	Boarding each side	610 mm centres	610 mm boxed	407 mm centres	407 mm boxed	305 mm centres	305 mm boxed
		1x12.5mm	2500	2800	2900	3200	3100	3500
48 mm c stud	0.5 mm	1x15mm	2800	3000	3100	3300	3300	3600
		2x12.5mm	3400	3600	3600	3800	3800	4000
		2x15mm	3700	3800	3900	4000	4000	4200
		1x12.5mm	3600	3900	4000	4300	4300	4700
70 mm C stud	0.5	1x15mm	3800	4100	4200	4500	4500	4900
70 mm C stud	0.5 mm	2x12.5mm	4600	4800	4900	5100	5100	5400
		2x15mm	4900	5100	5100	5300	5300	5600
		1x12.5mm	3800	4200	4300	4700	4600	5100
70 mm Acou stud	0.5 mm	1x15mm	4000	4400	4500	4800	4700	5200
		2x12.5mm	4700	5000	5000	5300	5300	5700
	0.5 mm	2x15mm	5000	5200	5300	5600	5500	5900
92 mm C stud		1x12.5mm	4500	4800	4900	5400	5300	5800
		1x15mm	4700	5100	5200	5600	5500	6000
		2x12.5mm	5700	5900	6000	6300	6200	6600
	0.5	2x15mm	5900	6100	6200	6500	6400	6800
92 mm Acou stud	0.5 mm	1x12.5mm	4700	5100	5200	5700	5700	6200
		1x15mm	4900	5300	5400	5700	5800	6400
		2x12.5mm	5800	6100	6200	6500	6500	6900
146 mm C stud	mm C stud 0.5mm	2x15mm	6000	6300	6400	6700	6700	7000
		1x12.5mm	6200	6800	6900	7600	7500	8300
		1x15mm	6500	7000	7200	7800	7700	8400
146 mm Acou stud		2x12.5mm	7600	8000	8100	8600	8500	9100
	0.5mm	2x15mm	7900	8200	8300	8800	8700	9300
		1x12.5mm	6600	7100	7300	8000	8000	8800
		1x15mm	6800	7400	7600	8200	8200	8900
		2x12.5mm	7800	8200	8400	8900	8900	9500
		2x15mm	8100	8500	8600	9100	9100	9700

#### Thermal Insulation

A building that is thermally efficient reduces the amount of energy required to maintain a comfortable living/working environment. Any building with an internal temperature higher than external temperature will loose heat. Thermal Insulation Reduces heat loss and therefore conserves energy.

The term thermal insulation can refer either to materials used to reduce the rate of heat transfer, or the methods and processes used to reduce heat transfer. Thermal insulation can keep an enclosed area such as a building warm.

In home or office insulation, the U-value is an indication of complete system's (wall) ability to transfer heat under static conditions including air space.

Lower the U value, better the thermal insulation of systems.

Optimum level of thermal insulation can be achieved by using cavity construction using Gypsum wall and right insulation. It helps in maintaining an effective ambient temperature. Generally dense material has higher thermal conductivity which leads to ineffective thermal insulation. Light weight material has lower thermal conductivity and better thermal insulation properties.

#### The thermal insulation depends upon:

- K- Value of the material
- U- Value of the system(wall)

Thermal conductivity (K): It is a measure of a material's ability to transmit heat, and is expressed as heat flow in watts per meter thickness of material for a temperature gradient of one degree Kelvin (K). It is expressed as W/mK.

Thermal Resistance(R): It is the measure of the resistance to the passage of heat offered by the thickness of a material and is expressed as  $m^2K/W$ . R = t/k

Where t = thickness in meter and k = thermal conductivity (W/mK)

The U- Value (U = 1/R) of the system varies with the thickness of the wall i.e. its value decreases with the increasing thickness of the wall.

The K- value (plasterboard) is 0.16W/mK K-value of brick wall is 0.818W/mK.

Lower K-value (conductivity)==> better for thermal resistance (R)==> Leads for Effective Insulation (U)

Hence, drywall provides better thermal insulation as compared to brickwall.

#### Benefits of effective thermal insulation make building:

- Energy-efficient, thus saving the owner's money.
- Provides more uniform temperatures throughout the space. Thus, producing a more comfortable occupant environment when outside temperatures are either extremely cold or extremely hot.
- Has minimal recurring expense. Unlike heating and cooling equipment, insulation is permanent and does not require maintenance, upkeep, or adjustment.

Maintaining acceptable temperatures in buildings (by heating and cooling) uses a large proportion of global energy consumption. Effective thermal insulation can lead to sustainable construction by reduction in the consumption of energy.



### Fire Safety

#### **Fire Protection**

Fire starts when a flammable and/or a COMBUSTIBLE MATERIAL along with adequate supply of OXYGEN or another oxidizer are subjected to enough HEAT

- Fire will sustain only if there is a supply of Heat-Oxygen-Fuel forming the Fire Triangle
- Removing any one component from the triangle will prevent a fire from starting or will douse it Fire protection is achieved by 2 measures:
  - Active measure
  - Passive measures

#### **Active Measures**

These are the measures which are directly involved in controlling the fire directly. Examples:

- Smoke Alarms; Sprinklers; dry risers
- Automatic opening ventilation
- Automatic communication to fire station

#### **Passive Measures**

These are the measures which control the spreading of the fire from one side of the surface to the other

#### How is Passive Fire Protection achieved?

- · Compartmentalisation of fire through the use of walls and their components that bear a prescribed fire resistance
- Structured to facilitate emergency evacuations and protection.
- Protect the structure of a building and lives of occupants by reducing or preventing internal or external fire spread.
- Provide easy access for fire fighting personnel to the affected buildings


Examples:

- Elements of construction which provide fire resistance
- Compartmentation
- Limiting external fire spread

#### Compartmentation

The spread of fire within a building can be restricted by sub-diving it into compartments separated from one another by walls and/or floors of fire resisting construction. The objective is twofold :

- To prevent rapid fire spread, which could trap occupants in the building.
- To reduce the chance of fires becoming large, which is more dangerous-not only to occupants and fire service personnel, but also to people in the vicinity of the building.



## Gypsum plasterboards are all designated materials of limited combustibility.

#### Surface spread of flame

The spread of flames over wall and ceiling surfaces is controlled by providing materials that are either non-combustible or materials of limited combustibility. Combustible materials (or certain materials of limited combustibility that are composite products) when tested to the standards below, are classified Class 1, 2, 3 or 4.

BS 476: Part 7: 1997 Surface spread of flame tests for materials "or"

BS 476: Part 7: 1987 Method for the classification of the surface spread of flame of products.

Based on the rate of spread of flame, surfacing material shall be considered as divided into four classes which are-

- · Class 1 Surface of very low flame spread.
- Class 2 Surface of low flame spread.
- Class 3 Surface of medium flame spread.
- · Class 4 Surface of rapid flame spread.

Class 1 provides the greatest resistance to surface spread of flame. Gypsum Plasterboards are classified as Class1.

### How Gyproc<sup>®</sup> plasterboard is good in resisting fire?

- Provides good fire protection due to the unique behaviour of gypsum when exposed to fire.
- CaSO4.2H2O(gypsum) is composed of:
- 21% chemically combined water
- 79% calcium sulphate, which is inert below a temperature of 1200°C.
- Absorbs the heat and gradually releases water vapour
- Calcination starts at the surface exposed to the fire and then gradually through the gypsum layer.
- · Calcined gypsum formed on the exposed faces and further retards the hydration process, through the thickness of the board.







Surface spread of flame test

#### Acoustics

#### Principles of building acoustics


Building acoustics is the science of controlling noise in buildings, including the minimisation of noise transmission from one space to another and the control of noise levels and characteristics within a space. Noise can be defined as sound that is undesirable, but this can be subjective and depends on the reactions of the individual. When a noise is troublesome, it can reduce comfort and efficiency. If a person is subjected to noise for long periods, it can result in physical discomfort or mental distress. The best defence against noise is to ensure that proper precautions are taken at the design stage and during construction of the building. The correct acoustic climate must be provided in each space and noise transmission levels should be compatible with usage.

The acoustics can be achieved by:

- Sound absorption
- Sound insulation


#### Sound absorption

Sound absorption is the term given to the loss of sound energy on interaction with a surface. Sound absorbent surfaces are used to provide the correct acoustic environment within a room or space. By converting some of the sound energy into heat, sound absorbing material also helps sound insulation because less noise is transmitted to other rooms.



#### Sound insulation

Sound insulation is the term describing the reduction of sound that passes between two spaces separated by a dividing element. In transmission between two spaces, the sound energy may pass through the dividing element (direct transmission) and through the surrounding structure (indirect or flanking transmission). In designing for sound insulation, it is important to consider both ways of transmission. The walls or floors, which flank the dividing element, constitute the main paths for flanking transmission.




Sound Insulation of separating construction S = Source room R = Receiving room


B = Building element

Sound Insulation of separating construction

Sound Insulation in room 1 (L1) - Sound level in room 2 (L2)




#### Guide to sound insulation levels for speech privacy



#### Indirect paths (flanking transmission)

Flanking sound is defined as sound from a source room that is not transmitted via separating building element. It is transmitted indirectly via paths such as windows, external walls and internal corridors. Reduction in flanking transmission will help in achieving good room acoustics.



Indirect Paths (Flanking Transmission)


- 1) Direct transmission
- 2) Flanking transmission via adjacent constructions (floor, wall and ceiling)
- Transmission via ceiling void, windows and ventilation ducts etc.
- 4) Leakage
  - S = Source room
  - R = Receiving room
  - B = Separating building
  - element Drywall Partition



#### How Gypwall<sup>™</sup> construction is better than traditional construction

Typically the average sound insulation of a material forming a solid partition is governed by its mass. The heavier the material, the greater its resistance to sound transmission. To increase the sound insulation of a solid partition by about 4 db, the mass must be doubled.

This is known as the empirical mass law.



Lightweight systems versus the mass law shows how lightweight systems consistently exceed mass law predictions. This demonstrates that adding mass is not always the best method when satisfying acoustic design requirements and that lightweight systems, if correctly designed, can provide very effective acoustic solutions.



The use of two completely separate stud frames can produce even better results. In this case, the maximum transmission of energy is through the cavity between the plasterboard linings. The air in the cavity can be considered as a spring connecting the linings, which allows the passage of energy. The spring will have some inherent damping, which can be significantly increased by the introduction of a sound absorbing material, such as glasswool, positioned in the cavity.

Air-spring coupling becomes less significant as the cavity width increases. In practice, cavities should be as wide as possible to insulate against low frequency sounds.

Two important effects, resonance and coincidence, occur in partitions and walls. These are governed by such physical properties as density, thickness and bending stiffness, whereby a reduction in sound insulation occurs at certain frequencies. In lightweight cavity constructions these effects can be decreased by the use of two or more board layers. A simple way of increasing the sound insulation performance of a single layer metal stud partition is, therefore, to add an additional layer of plasterboard to one or both sides.

#### Robustness

Robustness is an ability of a system to resist change when physical pressure is applied.

#### Principles of robust design

#### Partition Duty ratings

All Gyproc® partition systems have a duty rating established in accordance with all the full requirements of BS 5234. This rating relates to the strength and robustness characteristics of the partition system against specific end-use applications.

Table below gives details of the four duty categories.

#### **Duty Ratings**

Partition Duty	Category	Examples
Light	Adjacent space only accessible to persons with high incentive to exercise care. Small chance of accident occuring or misuse.	Domestic accommodation spaces
Medium	Adjacent space moderately used, primarily by persons with some incentive to exercise care. Some chance of accident occuring or misuse.	Office accommodation spaces
Heavy	Adjacent space frequently used by the public and others with little incentive to exercise care. Chance of accident occuring or misuse.	Public circulation areas, industrial areas
Severe	Adjacent space intensively used by the public and others with little incentive to exercise care. Prone to vandalism and abnormally rough use.	Major circulation areas, heavy industrial areas

Tests within BS 5234 include:

- Partition stiffness
- · Resistance to damage from a small hard body impactor
- · Resistance to damage from a large soft body impactor
- · Resistance to perforation from a small hard body impactor
- Resistance to structural damage from a large soft body impactor
- then subjected to the impact tests to ensure that the most onerous situation are assessed.

Optional tests are also detailed within the standard, but these are not used in the partition grading. These include:

- Resistance to damage from a crowd pressure load
- Lightweight anchorages pull down
- Lightweight anchorages pull out
- · Heavyweight anchorages wall cupboard
- · Heavyweight anchorages wash basin



• Resistance to damage from door slamming BS 5234 does not identify specific points of contact on a partition that should be impacted. However, Gyproc<sup>®</sup> understands there are limiting points in terms of impact resistance. These are



#### **STIFFNESS TEST**



#### SMALL HARD BODY IMPACT TEST



#### DOOR SLAM TEST



#### CROWD PRESSURE TEST



LIGHT WEIGHT ANCHORAGE TEST



HEAVY WEIGHT ANCHORAGE TEST







Wash Basin: 500N (50KG) load representing the basin weight + 1000N (100kg) or 1250N (125kg) or 1500N (150kg) representing additional loads , Applied between the brackets and the partition, Cupboard - 2000N (200 Kg) or 4000 N (400 Kg) Applied through a pair of linked brackets with 1mm stainless steel shim plates postitioned between the brackets and the partition.



# **COMPONENTS OF** DRYWALL

- A. Metal Framing and Accessories
- B. Boards

4

- Jointing and Finishing **C**.
- D. Associated Products


## GypSerra<sup>™</sup> Metal Framing System

GypSerra<sup>™</sup> metal profiles are produced with an innovative & Patent Applied Serration process which produces a unique serrated pattern across the surface of the material ; Which results in to:

- Increased Surface Area (8% more than plain sheet)
- Doubled Surface Thickness (than plain sheet)
- Stronger Surface due to work hardening
- Increased load carrying capacity (10% higher than Knurled Sections)

#### The GypSerra<sup>™</sup> Process

- Effective thickness improvement during production (2x depth)
- Base material gauge (T)
- Effective thickness after production (2T)



## Finished product - Unique & Superior with complete serrated surface With unique "embossing" of Gyproc logo on every section



\* Patent Application No:201741018271


n | e-mail: gyprocindia@saint<mark>-gobain.co</mark>n

www.gyp





# Value Additions of Serration Sheet Capacity




Deflection : 1.663



**Knurled Sheet** 


Serrated Sheet



Deflection : 1.207

Improved Sheet Capacity & lower Sheet Deflection than Knurled Sheet 27%

## Load Bearing Capacity of Ceiling




**Knurled Ceiling Section** 




Improved Load bearing capacity for Ceiling **10%** 

Serrated Ceiling Section



Deflection : 3.627mm




Deflection : 3.25mm

## Deflection due to Self Weight in studs




Knurled C-Stud



Serrated C-Stud

8% less deflection due self weight than Knurled Sections 8%

#### Resistance to Twist in Studs




Knurled C-Stud




Serrated C-Stud

30% higher Twist Resistance than Knurled Sections **30%** 







Deflection : 0.038mm



Deflection : 0.035mm



Deflection : 3.61mm



Deflection : 2.45mm



#### GypSerra<sup>™</sup> Partition Framing System

All components in GypSerraTM Partition Framing System are with Al-Zn coating of 150 gsm which provides superior corrosion resistance (upto 5 times than Zn 120 gsm)

Fixed to floor and ceiling for securing



'C' Stud



 Application Used as the vertical supporting wall framing

Application

72 x 32 x 32 x 3660 148 x 32 x 32 x 3660 Dimension in mm

Dimension in mm

50 x 32 x 32 x 3660 94 x 32 x 32 x 3660

48 x 34 x 36 x 3050/3660 92 x 34 x 36 x 3050/3660 70 x 34 x 36 x 3050/3660 146 x 34 x 36 x 3050/3660

AcouStud



 Application Used as the vertical support in wall framing. This is a specialist stud which will give high acoustic performance

Used for horizontal support

Dimension in mm 70 x 41 x 44 x 3050/3660 92 x 41 x 44 x 3050/3660 146 x 41 x 44 x 3050/3660

Noggin Channel



I Stud

 Application For shaftwall

Application




Dimension in mm 48 x 40 x 0.5 x 390/492/695 92 x 40 x 0.5 x 390/492/695 70 x 40 x 0.5 x 390/492/695

Length - 695/492/390

Dimension in mm 48 x 38 x 3050/3660 92 x 38 x 3050/3660 70 x 38 x 3050/3660 146 x 38 x 3050/3660

#### GypSerra<sup>™</sup> Advantages

Longer Life, High Performance, Higher Safety & User Friendly Systems with GypSerra™



Metal Thickness: 0.5mm (48mm stud), 0.7mm (70/92/146 mm studs), 0.9mm (92/146 mm studs) Retaining channel and starter channel of suitable sizes are also available for fixing of I Stud



Center of GypSerra<sup>™</sup> can be easily identified for conveniently screwing the plasterboards



Easy to cut onsite for faster implementation and overlapping



Easy to boxing of studs due to accuracy in dimensions and correct placement of ribs

GypSerra™



### Gypsteel ULTRA® Metal Framing System


#### What Is Gypsteel ULTRA®

A cold rolled pre-forming process that locally work hardens the base material

• The steel is driven between two mating rolls to create a dimpled surface & ribbing effect across the surface.

#### The Gypsteel ULTRA Process

- Effective thickness improvement during production (2 x depth)
- Base material gauge (T)
- Effective thickness after production (2T)



Gypsteel ULTRA® is manufactured under license by Saint-Gobain Gyproc® India Ltd. using the Ultrasteel process and is protected by UK and International Patents granted and pending together with design registration. Ultrasteel is a trademark of Hadley Industries Overseas Holdings Limited.

Gypsteel ULTRA® metal framing is an integral part of our tested ceilings, partitions, linings and encasement systems.

Gypsteel ULTRA® frame work is specially designed making it stronger, lighter and easier to use. It provides adequate resistance against rusting, warping or twisting, giving you better finished results. Key features include,


- a) Galvanization with zinc coating of 120 GSM both sides for ultra-sections and 150 GSM for Ultra plus AZ sections, inclusive which gives it a guaranteed improvement in service life
- b) High yield strength.
- c) Greater load carrying capacity.
- d) Improved acoustic performance and fire resistance.
- e) Enhanced screw retention.
- f) Virtually no screw stripping and screw riding.
- g) Slight lines on flanges for more precise joints.
- h) Overall improved productivity.



Finished product - Unique appearance completely ribbed surface

#### Metal Framing & Accessories - Gypsteel ULTRA® - Partitions

#### DRYWALL



AcouStud



 Application Used as the vertical This is a specialist s acoustic performan

Noggin Channel



 Application Designed for horizo C-stud, helps in elec partitions for preve

**Resilient Bar** 



 Application Used to improve sou placed at 610mm c/ metal to metal screws

ing wall studs at floor and ixed to floor and ceiling to steel ULTRA <sup>™</sup> studs	Dimension in mm 50 x 32 x 32 x 0.5 x 3660 62 x 32 x 32 x 0.5 x 3660 72 x 32 x 32 x 0.5 x 3660 94 x 32 x 32 x 0.5 x 3660 148 x 32 x 32 x 0.5 x 3660
flection n drywall	Dimension in mm 50 x 50 x 50X 0.5x3660 62 x 50 x 50X 0.5x3660 72 x 50 x 50x 0.5x3660 94 x 50 x 50x 0.5x3660 148 x 50 x 50x 0.5x3660
l support	Dimension in mm $48 \times 34 \times 36 \times 0.5 \times 2440$ $48 \times 34 \times 36 \times 0.5 \times 2745$ $48 \times 34 \times 36 \times 0.5 \times 3050$ $48 \times 34 \times 36 \times 0.5 \times 3660$ $70 \times 34 \times 36 \times 0.5 \times 3660$ $92 \times 34 \times 36 \times 0.5 \times 3050$ $92 \times 34 \times 36 \times 0.5 \times 3660$ $146 \times 34 \times 36 \times 0.5 \times 3660$
l support in wall framing. stud which will give high nce	Dimension in mm 70 x 41 x 44 x 0.5 x 3660 92 x 41 x 44 x 0.5 x 3660 146 x 41 x 44 x 0.5 x 3660
zontal support between the ctrical switch fitting, fire rated enting spreading of fire.	Dimension in mm 48 x 40 x 40 x 0.5 70 x 40 x 40 x 0.5 92 x 40 x 40 x 0.5 Length - 390/492/695
ound insulation of drywall system, c/c horizontally, fix on stud using	Dimension in mm 45 x 16 x 21 x0.5 x 3000



#### SHAFT WALL

I Stud

Starter channel



**Retaining Channel** 



Application

with the stud.

Application

Application

of shaft wall system

Used for shaftwall applications, industrial

Fix at starting point, end point and at junction

Used with I-stud for fixing the core board on other side.

Thus there is no requirement of screwing the board

partitions, independent wall lining.

Fixing strap



 Application
 Designed for horizontal support to board joints specially with I stud system Dimension in mm 74 x 0.5 x 2400

Dimension in mm

48 x 38 x 0.5 x 3660

60 x 38 x 0.7 x 3660

60 x 38 x 0.9 x 3660

70 x 38 x 0.5 x 3660 70 x 38 x 0.7 x 3660 92 x 38 x 0.7 x 3660 92 x 38 x 0.9 x 3660

146 x 38 x 0.7 x 3660

146 x 38 x 0.9 x 3660

Dimension in mm

60 x 30 x 30 x 0.7

70 x 30 x 30 x 0.7

92 x 30 x 30 x 0.7

146 x 30 x 30 x 0.7

Dimension in mm

29 x 15 x 0.5 x 3600

Closed stud



Application
 Used as the vertical support in drywall system,
 Replacement of Aluminum section.

Dimension in mm 48 x 34 x 34 x 0.6 x 3660 70 x 34 x 34 x 0.6 x 3660


L-Angle



 Application
 Used to fix horizontal support in closed stud drywall system

Dimension in mm 45 x 30 x 30 x 1

#### ACCESSORIES



nized metal bead for reinforcing les where maximum protection is	Dimension in mm 25 x 25 x 0.5 x 2440
bead, having an asymmetric profile ated leg to accommodate jointing sed to protect the exposed and es of plasterboard. Also used to form o cover the edges of plasterboard	Dimension in mm 25 x 12 x 9.5 x 0.5 x 2440 25 x 12 x 12.5 x 0.5 x 2440 25 x 12 x 15 x 0.5 x 2440
pping bead is a semi perforated tion used for minimizing the n-aligned walls and ceilings by giving shadow edge on installation and e suitable for ceiling perimeters, door etc.	Dimension in mm 10 x 9 x 28 x 0.5
or material Like Glass wool /Rockwool f Stud	Dimension in mm 178 x 50 x 0.5
etal sections & components	Dimension in mm M8 x 45 M8 x 60 M8 x 80
pet head screw with case hardened oating. d to metal framework	Dimension in mm Ø 3.5 x 25 Ø 3.5 x 35 Ø 3.5 x 50
et two metal sections together. I screw with wafer cross head and	Dimension in mm Ø4.2 x 13



#### Boards

#### Gyproc<sup>®</sup> Plasterboard

Gyproc<sup>®</sup> plasterboards are the ultimate wall and ceiling solution for today's buildings, providing highlevels of performance in terms of fire rating, acoustic insulation, thermal insulation and moisture resistance to create modern internal environments that offer comfort and safety for occupants. They offer superior solutions for walls, ceilings, lift shafts, stairwells and corridors in buildings as diverse as residential, schools, hospitals, offices, cinemas and hotels. Gyproc<sup>®</sup> is the brand of specialist high performance boards with special boards for applications like fire, acoustics, moisture, impact and thermal resistance.

Gypboard <sup>®</sup> Plain	Width (mm)	Length (mm)	Edge type
Characteristics	9.5mm boa	ard, Kg/m <sup>2</sup> = 7.4,	, R = 0.059
Standard board product	1219	1829	T/E S/E
Application	12.5mm bo	oard, Kg/m <sup>2</sup> = 8.0	0, R = 0.078
Suitable mainly for false ceilings	1219	1829	T/E S/E
Board colour	1219	2438	T/E S/E
Face: Grey paper	1219	3048	T/E S/E
Reverse: Brown paper	15mm boa	rd, Kg/m <sup>2</sup> = 10.4	9, R = 0.093
Standards and certification	1219	1829	T/E S/E
IS 2095 - Part I, 2011	1219	2438	T/E S/E
Thermal Conductivity: 0.16 (W/mK)	1219	3048	T/E S/E

Gyproc <sup>®</sup> Duraline	Width (mm)	Length (mm)	Edge type
Characteristics     Higher density core with glass fibre and other additives	13mm boa 1220	rd, Kg/m² = 11.5 2440	0, R = 0.054 T/E S/E
Application     Suitable for application where high level of acoustics     and impact levels are specified			
Board colour     Face: Yellow paper     Reverse: Brown paper			
<ul> <li>Standards and certification         EN 520: 2004, Type D, F, I &amp; R         Thermal Conductivity: 0.25 (W/mK)     </li> </ul>			

Gyproc <sup>®</sup> Fireline / Gyproc <sup>®</sup> Firestop	Width (mm)	Length (mm)	Edge type
Characteristics	12.5mm b	oard, Kg/m² = 9.4	4, R = 0.052
Gypsum plasterboard with glass fibre and other additives	1220	1830	T/E S/E
Application	1220	2440	T/E S/E
Suitable for application where high level of fire	15mm boa	urd, Kg/m <sup>2</sup> = 10.9	, R = 0.062
protection is required	1220	1830	T/E S/E
Board colour     Face: Pink paper     Reverse: Brown paper	1220	2440	T/E S/E
<ul> <li>Standards and certification         EN 520: 2004 Type F         ASTM C 1396 Type X         Thermal Conductivity: 0.24 (W/mK)     </li> </ul>			

#### Gyproc<sup>®</sup> Moisture Resistant (MR)

#### Characteristics

- Gypsum plasterboard with waterpoint additives in the core firmly bonded with strong paper cliners.
- Application Suitable as a base for tiling in wet use areas. Also used for external soffits in sheltered positions
- Board colour

 Face: Green paper

 Reverse: Brown paper / Green paper

• Standards and certification EN 520: 2004 Type A, H1

Thermal Conductivity: 0.19 (W/mK)

#### Gyproc<sup>®</sup> Sound Bloc

Characteristics

Gyproc Sound Bloc consists of an aerated gypsum core encase in, and firmly bonded to strong paperliners.

Application

Designed for use in walls and partition systems where greater levels of sound insulation are required

Board colour
 Face: Blue face paper

Reverse: Brown paper

• Standards and certification EN 520: 2004, Type D

Thermal Conductivity: 0.25 (W/mK)

#### Gyproc<sup>®</sup> FR MR / Gyproc<sup>®</sup> Firestop MR

#### Characteristics

Gyproc Fireline with water repellent additives in the core. It consists of an aerated gypsum core with glass fibre, wate repellent and other additives encased in, and firmly bonded t strong paper liners.

#### Application

Used in applications where increased fire protection and moisture resistance are required. Also used for protection of structural steel.

#### Board colour

Face: Pink paper Reverse: Green paper

 Standards and certification ASTM C 1396 Type X
 Thermal Conductivity: 0.24 (W/mK)

	Width	Length	Edge
	(mm)	(mm)	type
	1220	ard, Kg/m² = 7.4, 1830	T/E S/E
0	1220 1220 1220	bard, Kg/m² = 9.5 1830 2440	T/E S/E T/E S/E
	15mm boa	rd, Kg/m² = 11.5,	, R = 0.093
	1220	1830	T/E S/E
	1220	2440	T/E S/E

	Width	Length	Edge
	(mm)	(mm)	type
sed	12.5mm bo	pard, Kg/m² = 10	.6, R = 0.052
	1200	1830	T/E S/E
	1200	2440	T/E S/E
er	15mm boa	rd, Kg/m <sup>2</sup> = 12.6,	, R = 0.062
	1200	1830	T/E S/E
	1200	2440	T/E S/E

	Width (mm)	Length (mm)	Edge type
It er to	1220 1220	ard, Kg/m <sup>2</sup> = 9.8, 1830 2440 d, Kg/m <sup>2</sup> = 11.8 F 1830 2440	T/E S/E T/E S/E



Gyproc <sup>®</sup> - Core Board	Width (mm)	Length (mm)	Edge type
Characteristics	19mm b	oard, Kg/m <sup>2</sup> = 16.	0, R = 0.08
A 19mm thick version of Gyproc FR MR Board, it consists of an aerated gypsum core with glass fibre, water repellent and other additives firmly bonded to moisture resistant paper liners.	598	3000	S/E
• Application Used as the main board in the GyprocShaftWall system to provide fire protection with temporary moisture protection during construction.			
Board colour     Green face paper     Green reverse side paper			
<ul> <li>Standards and certification EN 520: 2004, Type D, F, H1</li> <li>Thermal Conductivity 0.24 (W/mK)</li> </ul>			

Gyproc <sup>®</sup> - Fibre Cement Board	Width (mm)	Length (mm)	Edge type
Characteristics	6.0mm bo	oard Kg/m <sup>2</sup> = 8.96	
Gyproc Fibre Cement Board is a smooth surfaced, light colored,	595	595	S/E
asbestos-free, cellulose fibre reinforced cement board. It is a	1220	2440	S/E
major breakthrough in asbestos-free board technology.	8.0mm bo	oard Kg/m <sup>2</sup> = 11.9	5
Application	1220	2440	S/E
It is tough and flexible, and is the ideal choice for many general	10.0mm ł	poard Kg/m <sup>2</sup> = 14.	93
building purposes, for both internal and external application.	1220	2440	S/E
Board colour	12.0mm k	board Kg/m <sup>2</sup> = 17.	92
Greyish white smooth surface Greyish white rough surface	1220	2440	S/E
Standards and certification			
IS 14862: 2000			
Thermal Conductivity: 0.21 (W/mK)			

Gyproc HABITO™	Width (mm)	Length (mm)	Edge type
Characteristics     Calcium Sulphate Dihydrate encased in paper liners, with glass fibers     and other additives.	12.5 mm b 1220	00ard ,Kg /m²= 1 2440	2R= 0.05 T/E S/E
<ul> <li>Application         An area where solution for high impact resistant ,planned &amp; unplanned loading combined with acoustics is required.     </li> </ul>			
Board colour     Ivoryface paper     Brown reverse side paper			
<ul> <li>Standards and certification         EN 520: 2004, A1: 2009 Gypsum plaster boards,         definations, requirements and test methods.         Type A, D, R, I: Gypsum plasterboard         Thermal Conductivity: 0.24 (W/mK)     </li> </ul>			

## Gyproc Activ'Air™

#### Characteristics

Gyproc Activ'Air board is a high-performance board consisti gypsum core with special additives encased in, and firmly be paper liners . Gyprc Activ'Air boards improve indoor air of Formaldehyde out of the air and converting them into safe, that, once captured in the board, cannot be released back in

#### Application

Suitable for most ceiling and drywall partition applications.

Board colour

Grey face paper Brown reverse side paper

• Standards and certification

IS 2095-Part ! , 2011, ISO 16000-23:2009 IAO Thermal Conductivity : 0.16 (W/mK)

#### Gyproc Glasroc H

#### Characteristics

Gyproc Glasroc H is a paperless Gypsum Board which com Mold & Moisture resistant Gypsum core reinforced Pre-coated glass mats on the surface of the board. The su covered with an inorganic acrylic coating which is again mo

Application

Suitable for Wet Area Drywalls with tile/Marble fixing or an finish Also suitable for humid to very humid area ceilings

Board colour

## Front: Blue colored face GlassmatReverse: Blue colored face Glassmat

• Applicable Standards:

EN15283 – 1 : Gypsum board with mat reinforcement, fire resistant with reduced water absorption rate

ASTM D3273 : Mold resistance

🔊 Thermal Conductivity : 0.3 (W/mK) as per EN 12664


	Width (mm)	Length (mm)	Edge type
sting of an aerated bonded to, strong r quality by taking e, inert compounds into the air.	12.5 mm bc 1220	bard, Kg /m²= 7.4 1830	+ R= 0.078 T/E S/E
S.			

	Width (mm)	Length (mm)	Edge type
	12.5 mm b	ooard, Kg /m²= 10	0.5 R= 0.04
ombines & incorporates	1220	1830	T/E
d with glass fibers & surface of the board is hold and water resistant.	1220	2440	T/E
any other desired			



#### Jointing and Finishing

Jointing & Finishing materials produce a smooth, continuous, crack-free lining surface ready for priming and final decoration. A range of jointing specifications is available to suit the board type, method of application, and site preference. The jointing process normally has three application stages - embedding the tape and bulk filling the joint, secondary filling to take up the shrinkage, and finishing. Jointing materials provide durable joint reinforcement and sealing which is a pre-requisite if the building element is to achieve its specified levels of fire resistance and sound insulation.



#### Associated Products

#### Insulation

Insulation provides thermal and acoustic insulation for drywall partitions and is tested and recommended for use in Gyproc India systems. This high quality roll and slab fulfill the specific performance criteria cost-effectively. Their natural mineral base, very high percentage use of recycled material and lack of damaging gases either in the products or their manufacturing process ensures excellent environmental credentials, in addition to their energy-saving properties.

#### Insulation can be of two types:

- Glasswool 20kg/m<sup>3</sup> density
- Rockwool 50kg/m<sup>3</sup> density

#### • Application:

In fill in Metal stud partitions and wall linings

#### Fire & Acoustic sealants

Sealants are acrylic-based firestop material that offers movement capabilities and excellent acoustic rating in fire rated joints and seals through-penetration applications. Sealants help you achieve all of the test-verified ratings that your partition assembly can deliver by sound-sealing and fire proofing partitions at gaps, electrical box cutouts, and all abutting dissimilar materials on both sides of partitions.

#### Applications


- Junctions between fire-resistance rated wall or floor assemblies
- Connection joints in drywall

Drywall construction in wet areas requires special moisture resistant boards or fibre cement boards to be used along with membrane water proofing treatment. Membrane waterproofing provides high resistance to the effect of long term weathering in these wet areas.

#### Membrane water proofing


- Applications
- Wet areas like shower cubicles and toilets

#### Rockwool



Size: Length - 900mm Width - 600mm Thickness - 50mm

#### Glasswool



Size: Length - 900mm Width - 600mm Thickness - 25 / 50mm







## Gypwall Fire Resist

					т. <u>Т</u>		Ţ
				( 			L
1		2	3		4		5
One layer of ither side of		One layer of board on either side of stud centre	Two layer of either side of s		Two layer of bo ther side of stu		ree layer of lon either side
at 610m	m c/c	at 610mm c/c with 50mm Insulation	at 610m	m c/c at	610mm c/c with insulation		tud centre at 10mm c/c
Details	Thickness	Stud size	Board type	Max Height	Acoustic	Duty rating	Weight
		6	0 Minutes fire	resistance			
1	80mm	48mm	1 x 15mm	2800	36	Heavy	25
1	102mm	70mm	1 x 15mm	3800	37	Heavy	25
2	102mm	70mm	1 x 15mm	3800	43	Heavy	26
		1:	20 Minutes fire	e resistance			
3	100mm	48mm	2 x 12.5mm	3400	47	Severe	41
4	100mm	48mm	2 x 12.5mm	3400	49	Severe	42
3	122mm	70mm	2 x 12.5mm	4600	46	Severe	41
4	122mm	70mm	2 x 12.5mm	4600	50	Severe	42
3	132mm	70mm	2 x 15mm	4900	46	Severe	47
4	132mm	70mm	2 x 15mm	4900	51	Severe	48
3	198mm	146mm	2 x 12.5mm	7600	50	Severe	42
4	198mm	146mm	2 x 12.5mm	7600	53	Severe	43
		1	80 Minutes fire	e resistance			
5	162mm	70mm	3 x 15mm	4900	46	Severe	68
5	240mm	146mm	3 x 15mm	7900	50	Severe	70
Gypwal	l Hydro						
1		2		3			4
One layer o	of board on f stud centre		oard on ud centre ith 50mm	3 One layer of pla inside & MR oute either side of stu at 610mm	er side on Id centre	One layer of inside & MR either side of 610mm c/i	
One layer o	of board on f stud centre	One layer of b either side of st at 610mm c/c w	oard on ud centre ith 50mm	One layer of pla inside & MR oute either side of stu	er side on Id centre	One layer of inside & MR either side of 610mm c/i	4 of plain board couter side or f stud centre a c with 50mm
One layer o ither side of at 610r	of board on f stud centre nm c/c	Cone layer of b either side of st at 610mm c/c w Insulation Stud size	oard on ud centre ith 50mm on	One layer of pla inside & MR oute either side of stu at 610mm Max Height	er side on ıd centre c/c	One layer o inside & MR either side o 610mm c/ insu	4 of plain board couter side or f stud centre a c with 50mm ilation
One layer o ither side of at 610r	of board on f stud centre nm c/c	Cone layer of b either side of st at 610mm c/c w Insulation Stud size	oard on ud centre ith 50mm on Board type	One layer of pla inside & MR oute either side of stu at 610mm Max Height	er side on ıd centre c/c	One layer o inside & MR either side o 610mm c/ insu	4 of plain board couter side or f stud centre c with 50mm ilation
One layer o ither side of at 610r Details	of board on f stud centre nm c/c Thickness	Cone layer of b either side of st at 610mm c/c w Insulation Stud size	oard on ud centre ith 50mm on Board type 30 Minutes fire	One layer of pla inside & MR oute either side of stu at 610mm Max Height resistance	er side on ud centre c/c Acoustic	One layer of inside & MR either side of 610mm c/i insu Duty rating	4 of plain board couter side or f stud centre a c with 50mm lation Weight
One layer o ither side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm	Cone layer of b either side of st at 610mm c/c w Insulation Stud size 3 48mm	oard on ud centre ith 50mm on Board type CO Minutes fire 1 x 12.5mm	One layer of pla inside & MR oute either side of stu at 610mm Max Height resistance 2500	er side on ud centre c/c Acoustic 34	One layer of inside & MR either side of 610mm c/ insu Duty rating Medium	4 of plain board couter side of f stud centre of cwith 50mm ilation Weight 19.5
One layer o ither side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm 97mm	Cone layer of b either side of st at 610mm c/c w Insulation Stud size 3 48mm 70mm	oard on ud centre rith 50mm on Board type CO Minutes fire 1 x 12.5mm 1 x 12.5mm	One layer of pla inside & MR oute either side of stu at 610mm Max Height resistance 2500 3600	er side on id centre c/c Acoustic 34 36	One layer of inside & MR either side of 610mm c/ insu <b>Duty rating</b> Medium Medium	4 of plain board couter side of f stud centre c with 50mm ilation Weight 19.5 19.5
One layer of ither side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm 97mm 97mm	Cone layer of b either side of st at 610mm c/c w Insulation Stud size 3 48mm 70mm 70mm 70mm 70mm	oard on ud centre ith 50mm on Board type CO Minutes fire 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm	One layer of pla inside & MR oute either side of stu- at 610mm Max Height resistance 2500 3600 3600 3800	er side on ud centre c/c Acoustic 34 36 42	One layer of inside & MR either side of 610mm c/d insu Duty rating Medium Medium Medium	4 of plain board couter side of f stud centre c with 50mm ilation Weight 19.5 19.5 19.5
One layer o either side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm 97mm 97mm	Cone layer of b either side of st at 610mm c/c w Insulation Stud size 3 48mm 70mm 70mm 70mm 70mm	oard on ud centre rith 50mm on Board type Co Minutes fire 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm	One layer of pla inside & MR oute either side of stu- at 610mm Max Height resistance 2500 3600 3600 3800	er side on ud centre c/c Acoustic 34 36 42	One layer of inside & MR either side of 610mm c/d insu Duty rating Medium Medium Medium	4 of plain board couter side or f stud centre a c with 50mm ilation Weight 19.5 19.5 19.5
One layer of ither side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm 97mm 97mm 102mm	Conclusion of b either side of st at 610mm c/c w Insulation Stud size 3 48mm 70mm 70mm 70mm 70mm 70mm	oard on ud centre rith 50mm on Board type 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 15mm	One layer of pla inside & MR oute either side of stu- at 610mm Max Height resistance 2500 3600 3600 3800	Acoustic Acoustic 34 36 42 38	One layer of inside & MR either side of 610mm c/ insu <b>Duty rating</b> Medium Medium Medium Medium	4         of plain board         Couter side or         f stud centre a         c with 50mm         ilation         Weight         19.5         19.5         19.5         19.5         19.5         19.5         19.5         19.5         19.5         19.5
One layer of either side of at 610r Details	of board on f stud centre nm c/c Thickness 75mm 97mm 97mm 102mm 102mm	Cone layer of b either side of st at 610mm c/c w Insulation Stud size 3 48mm 70mm 70mm 70mm 70mm 6 48mm	oard on ud centre rith 50mm on Board type 30 Minutes fire 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 1 x 12.5mm 2 x 12.5mm	One layer of pla inside & MR oute either side of stu- at 610mm Max Height resistance 2500 3600 3600 3800 e resistance 3400	Acoustic Acoustic 34 36 42 38 47	One layer of inside & MR either side of 610mm c/t insu Duty rating Medium Medium Medium Medium Medium Medium	4 of plain board R outer side on f stud centre a c with 50mm ilation Weight 19.5 19.5 19.5 19.5 19.5 19.5

Details	Thickness	Stud size	Board type	Max Height	Acoustic	Duty rating	Weight
			30 Minutes fire	resistance			
1	75mm	48mm	1 x 12.5mm	2500	34	Medium	19.5
1	97mm	70mm	1 x 12.5mm	3600	36	Medium	19.5
2	97mm	70mm	1 x 12.5mm	3600	42	Medium	19.5
1	102mm	70mm	1 x 15mm	3800	38	Medium	19.5
			60 Minutes fire	resistance			
3	100mm	48mm	2 x 12.5mm	3400	47	Severe	43
4	100mm	48mm	2 x 12.5mm	3400	50	Severe	43
3	122mm	70mm	2 x 12.5mm	4600	50	Severe	43
4	122mm	70mm	2 x 12.5mm	4600	53	Severe	41

# **DRYWALL SYSTEM** SELECTOR

## Parameters

5


- Max Height (mm)
- Acosutics (Rw) as per ISO 140-3/ASTM E-90
- Fire Rating (Mins) As per BS 476 part 22
- Total Weight Kg/m2
- Duty Rating as per BS 5234 part 2

www.gyproc.in | e-mail: gyprocindia@saint-gobain.com

H.

11





## Gypwall Robust


1						888	
One layer of board on either side of C stud centre at 610mm c/c		One layer of board on either side of C stud centre at 610mm c/c with 50mm Insulation		one layer of board on either side of acou stud centre at 610mm c/c with 50mm Insulation		Two layer of board on either side of Acou stud centre at 610mm c/c with 50mm insulation	
Details	Thickness	Stud size	Board type	Max Height	Acoustic	Duty rating	Weight
			30 Minutes fir	e resistance			
1	76mm	48mm	1 x 13mm	2500	38	Severe	23.5
2	76mm	48mm	1 x 13mm	2500	42	Severe	23.5
1	98mm	70mm	1 x 13mm	3600	40	Severe	24
1	120mm	92mm	1 x 13mm	4500	42	Severe	24
			60 Minutes fir	e resistance			
2	98mm	70mm	1 x 13mm	3600	44	Severe	25
3	98mm	70mm	1 x 13mm	3600	48	Severe	25
2	120mm	92mm	1 x 13mm	4500	50	Severe	25
3	120mm	92mm	1 x 13mm	4700	52	Severe	25
4	124mm	70mm	2 x 13mm	4700	55	Severe	48
2	174mm	146mm	1 x 13mm	6200	51	Severe	24

## Gypwall Quiet

208mm

4

146mm



Details	Thickness	Stud size	Board type	Max Height	Acoustic	Duty rating	Weight
			30 Minutes fire	resistance			
 1	75mm	48mm	1 x 12.5mm	2500	43	Medium	23
1	80mm	48mm	1 x 15mm	2800	44	Medium	26
4	97mm	70mm	1 x 12.5mm	3800	49	Medium	22
1	102mm	70mm	1 x 15mm	3800	49	Heavy	26
1	124mm	92mm	1 x 15mm	4700	51	Heavy	27
 			60 Minutes fire	resistance			
2	100mm	48mm	2 x 12.5mm	3400	51	Severe	43
3	122mm	70mm	2 x 12.5mm	4700	53	Severe	43
4	122mm	70mm	2 x 12.5mm	4700	57	Severe	43
4	144mm	92mm	2 x 12.5mm	5800	58	Severe	47
			90 Minutes Fire	resistance			
 2	110mm	48mm	2 x 15mm	3700	53	Severe	51
3	132mm	70mm	2 x 15mm	5000	54	Severe	51
3	208mm	146mm	2 x 15mm	8100	59	Severe	51

2 x 15mm

52

Severe


61


8100

## Gypwall Classic

		2		3			
either sic	One layer of board on either side of C stud centre at 610mm c/c		One layer of board on either side of C stud centre at 610mm c/c with 50mm Insulation		One layer of board on either side of C stud centre at 610mm c/c		ard on either I centre at ith 50mm cion
Details	Thickness	Stud size	Board type	Max Height	Acoustic	Duty rating	Weight
			30 Minutes fire	resistance			
1	75mm	48mm	1 x 12.5mm	2500	34	Medium	19
2	75mm	48mm	1 x 12.5mm	2500	40	Medium	20
1	80mm	48mm	1 x 15mm	2800	36	Medium	22
2	120mm	48mm	1 x 15mm	2800	42	Medium	23
1	97mm	70mm	1 x 12.5mm	3600	36	Medium	19
2	97mm	70mm	1 x 12.5mm	3600	42	Medium	20
1	102mm	70mm	1 x 15mm	3800	38	Medium	23
2	102mm	70mm	1 x 15mm	3800	48	Medium	24
			60 Minutes fire	resistance			
3	100mm	48mm	2 x 12.5mm	3400	47	Severe	38
4	100mm	48mm	2 x 12.5mm	3400	50	Severe	38
3	122mm	70mm	2 x 12.5mm	4600	47	Severe	38
4	122mm	70mm	2 x 12.5mm	4600	51	Severe	38
3	198mm	146mm	2 x 12.5mm	7600	50	Severe	38
4	198mm	146mm	2 x 12.5mm	7600	52	Severe	38
			90 Minutes fire	resistance			
3	110mm	48mm	2 x 15mm	3700	45	Severe	44
4	110mm	48mm	2 x 15mm	3700	49	Severe	44
3	132mm	70mm	2 x 15mm	4900	46	Severe	45
4	132mm	70mm	2 x 15mm	4900	56	Severe	46
3	208mm	146mm	2 x 15mm	7900	50	Severe	45
4	208mm	146mm	2 x 15mm	7900	52	Severe	45







# **CONSTRUCTION DETAILS OF DRYWALL**

- Overview Α.
- **Boarding Details** Β.
- **Junction Details** C.
- Loading Details D.
- Door/Window Opening Details Ε.
- F. Service Management
- Wet Area Details G.
- Jointing and Finishing Details Η.

www.gyproc.in | e-mail: gyprocindia@saint-gobain.com

#### Overview



Drywalls are the future of interior construction and are superior to masonry construction using bricks or blocks. To be able to achieve best performance from this innovative construction technology, certain guidelines and best practices are suggested in this section of the handbook.

This section is intended to provide guidance to the specifier on system design i.e. how the drylined building element interacts with the associated structure.

This section illustrates key areas like staggering of boards and framing of basic structure which ultimately contributes towards the performance of the drywalls. Also, some common queries for managing corners, junctions, loadings (planned and unplanned), the structure for facilitating the frames for doors and windows and electrical fittings have been included.

Loadings constitute a very important part in constructing a drywall which varies from planned to unplanned. Unplanned loading is done through light weight fixtures which are mounted directly on the finished drywall using specially designed fasteners. Planned loading is done through heavy weight fixtures which are planned during the design of drywall and depend on the weight per linear meter.

This section explains in detail about tiling and service management and correct ways of installing the drywalls which are expected to bear loads of fixtures, stone/marble cladding. Also the WC fixing details and the typical details to install drywall in wet areas have been explained.


Along with construction, jointing and finishing details have also been included under this section. Jointing and finishing is an imperative process in order to create 'the' seamless and beautiful wall which is a true performer. Jointing and finishing primarily hides the screws and joints on the wall, which gives a complete smooth and finished look to the wall. In order to achieve the best finish, this section includes the right way of jointing and finishing at various levels to achieve the desired performance.

For further details and understanding about the drywall construction, please contact our Gyproc Solution Centre at gyprocindia@saint-gobain.com.





## Gypwall Robust

## Single Layer Boarding




## Board Staggering Detail For Single Layer Drywall






### Double Layer Boarding



## Board Staggering Detail For Double Layer Drywall



Gypsteel ULTRA® Ceiling Channel


Gypsteel ULTRA® Noggin Channel


Gypsteel ULTRA® C-Stud Gypsteel ULTRA® Noggin Channel

Gypsteel ULTRA® Floor Channel

NOTE:-• Fix the drywall screw 20mm below ceiling channel flange.(SeeFig.) Type of the board will be as per the system proposed

NOTE:-• Fix the drywall screw 20mm below ceiling channel flange.(See Fig.) • Type of the board will be as per the system proposed






PLAN





### Junction Details

#### L - Junction Details



# Internal corner finish with paper tape






NOTE:-


• Type of the board will be as per the system proposed



#### T - Junction Details




### Column - Junction Details




#### Loading Details


Planned Loading (Heavy Objects)



NOTE:- Type of the board will be as per the system proposed Commercial will depend upon actual specifications of plywood

## Unplanned Loading (Light objects)






For Single layer board 12.5 mm thickness




For double layer board 25-30 mm thickness

- Door/Window Opening Details
- Door Opening



## Board Staggering detail for Door



NOTE:- For more details, kindly get in touch with Gyproc team

\_Gypsteel ULTRA® PLUS ceiling channel

\_Gypsteel ULTRA® PLUS C - stud at 610mm c/c

Door opening

Timber to be placed Inside C-stud to hold door frame at both end of door


Gypsteel ULTRA® PLUS floor channel Cut & bend

Gypsteel ULTRA® PLUS floor channel







## Window Opening




## Service Management




Plumbing Service





Board Staggering detail for Window




NOTE:-• Type of the board will be as per the system proposed




 Gypsteel <sup>®</sup> Fiber Cement Board / MR
 Pipes
 12mm thick marine plywood
 Clamps for holding the pipes
 G.I . angle 25x25x0.5mm
 Paper tape
 jointing &finishing three layers
 Gypsteel ULTRA™ Stud

Soft wood placed inside the stud

#### Deflection head detail




Wet Area Details




\* Tile thickness between 12-15mm


## Stone/Marble Fixing Details




## DryWall Wet Area Typical Details



#### Ledge Wall with Concealed Tank Details





NOTE:-• Type of the board will be as per the system proposed. • Commercial will depend upon actual Specifications of ledge wall. Gypsteel ULTRA™ Ceiling Channel

Gyproc<sup>®</sup> Fiber cement board/ MR



Mechanical fixture fixed on stud to fix Marble


Marble/ Granite

Gypsteel ULTRA™ Stud behind the Mechanical fixture

Gypsteel ULTRA™ Floor Channel




## Shaft Wall







5 Fixing of Fixing strap




2 Fixing of starter channel



4 Placing of I-stud




6 Other side boarding





Curve Partition Detail





Secure Wall





#### 2x15mm Gyproc®B oard

0.8mm perforated GI sheet

Gypsteel ULTRA® C– stud

Gypsteel ULTRA® Floor channel



## Jointing and Finishing Embed Tape First coat Second coat Third Coat Sanding of compound 0 Gypboard tapered edge Prefill the joint with jointing compound Joint paper tape

**1st Application** 

100-150mm

2nd Application 200-250mm

**3rd Application** 

300-450mm

Sanding (for leveling)

Skim Coat (2mm) Painting **Final Finish Surface** 

## Gyproc Jointing Products



Easi -Fill Jointing Compound



Pro - Fill Jointing Compound



Pro-Top Ready Mix Jointing Compound





Joint paper Tape

Self - adhesive **Drywall joint Tape** 

## Jointing and Finishing Details

#### Jointing level 1 (Q1):

- The basic filling of plasterboard joints (Q1) recommend for jointing of internal layer of Gypsum boards for a double layer partition
- Jointing Level 1 includes
- Filling of the joints between boards Taping
- Covering of screw heads
- · Tool marks, groovesand ridges are allowed

#### Jointing level 2 (Q2):


- Jointing Level 2 (Q2) involves Q1+leveling the joint to the board surface with help of Pro-Fill / Easi-Fill
- Jointing Level 2 includes:
- Basic filling (Q1); plus
- Finishing towards a continuous transition to the board surface
- Application marks or ridges may not be totally eliminated

#### Finishing level 3 (Q3):


- Jointing and finishing in accordance with Finishing Level 3 (Q3) includes:
- Jointing and finishing to Q2; plus
- Wider finishing of the joint (400 to 450mm) and a tight coat of Pro-Fill / Easi-Fill (< 1mm) to the entire plasterboard surface
- Physical ridges and grooves are not acceptable, except the ones showing under the effect of shallow light


#### Finishing level 4 (Q4)

- High-end drywall surface where the entire drywall surface must be fully covered with a layer of a skimming plaster (thickness > 1mm)
- Quality Level 4 includes:
- Jointing and finishing to Q2 plus
- Complete surface covering of Gyproc Champion Skimming Putty (thickness > 1 mm)
- The undesirable effects of shallow lighting are reduced large extent; however some arising out of natural lighting may be acceptable under the limits of manual workmanship
- This job would normally be ordered separately by the client











# **GYPROC**<sup>®</sup> **STANDARDS**

**Green Credentials** 

www.gyproc.in | e-mail: gyprocindia@saint-gobain.com

#### Green Credentials

Green Building is a representative of sustainable building environments. This approach ensures health and comfort of the building occupants through the use of sustainable building materials. The information inside highlights the credentials of Saint - Gobain Gyproc India Ltd. products & systems and its contribution to the Green Building rating system (LEED) Leadership in Energy and Environmental Design, Indian Green Building Council (IGBC) and Green Rating for Integrated Habitat Assessment (GRIHA) as specified by the Indian Green Building Council.

#### Highlights

Energy & Atmosphere	:	High insulating
Material Resources	:	Reduces enviro
		transportation
High recycled content		
Indoor Environmental Ouality	:	Improves indoo

High Indoo Water Efficiency

por environment air quality non voc emitting Dry construction (Water free)



### Energy & Atmosphere

#### Embodied energy

Gypsum plasterboards & plasters have relatively low embodied energy as compared to all other traditional building materials (Energy consumed in manufacturing the same) High insulation properties Energy savings - ASHRAE STD 90.1/2010


### Thermal Conductivity (K value of Plasterboard) = 0.16 w/mk

Systems	Thermal Transmittance (U value of system)
Wall Panelling System on 4.5 inch brickwall	0.432 W/m²K - 0.503 W/m²K
Wall Panelling System on 9 inch brickwall	0.407 W/m²K - 0.469 W/m²K
Ceiling system	0.0391 W/m²K - 0.04 W/m²K



- ng properties, Low embodied energy
- onmental impact due to local
- on, Life cycle Approach





#### Materials & Resources : Recyclable products, Regional materials

#### **Recyclable products**

Gypsum plasterboard, metal sections and jointing compound all are technically 100% recyclable.

#### **Regional materials**


With four manufacturing facilities located close to the major construction hubs of the country, most cities in North, West & South of India fall under the 800 kms maximum radius of transportation. Also the raw materials for manufacturing the various products are also in most cases procured locally within a radius of 800 kms from both the manufacturing and project site thus optimizing the negative environmental impact related to transportation. The total raw material used for manufacturing the boards approx 2% is procured locally within a radius of 400 kms from the manufacturing plant.

#### **Recycled contents**

Gypsum plasterboard, Metal range of products & Jointing compound are technically 100% recyclable

Gyproc<sup>®</sup> Plain Board : The post consumer content in plasterboard is 3.8%

Other Value Added Gypsum Board – 5.5%




## **ENVIRONMENTAL PRODUCT DECLARATION** In accordance with EN 15804 and ISO 14025 12.5 mm Gypboard<sup>®</sup> Plain



The environmental impacts of this product have been assessed over its whole life cycle. Its Environmental product Declaration has been verified by an independent third party.



Date of issue: January 2014 Valid until: January 2019









GRIHA Association for Development and Research of Sustainable Habitats

This is to certify that the products

## "Gyproc-Plasterboard" Gypboard <sup>®</sup> Plain, Gyproc <sup>®</sup> Duraline, Gyproc <sup>®</sup>Sound Bloc, Gyproc<sup>®</sup>- Fibre Cement Board

have been included in the GRIHA Product Catalogue under the following category :

#### **GRIHA Criteria: 29**

These products can be used in GRIHA registered projects to meet the GRIHA norms, respectively. This is valid only for the products which have been mentioned above.

Mili Kejander

Mili Majumdar Secretary cum Treasurer

Note : This evaluation has been done based on the documentation - in the form of 3rd party test results and/or declarations - submitted by the manufacturer to ADARSH.

ADARSH is a joint initiative of Ministry of New and Renewable Energy, Government of India and The Energy and Resources Institute (TERI) to Implement GRIHA (Green Rating for Integrated Habitat Assessment), India's National Rating System for Sustainable Habitats. www.grihaindia.orgv

#### Gyproc<sup>®</sup> India - Plaster Board Manufactured at Wada are ISI Certified

भारतीय मानक ब्युरी BUBEAU OF PADLAN STANDARDS मालक पिल्ह लगाने की अनुसचित Lissney for the use of \$TANDARD MARK septe pister a diserve movimitie LICENCE NO. CML-7760117814 ng agé, mutu ana agé sélétine, tani (tinu et ki) gen nua effort à peux n

stad due ober gibte un fit. नारे रच बहाबली मांव vt. al. perc, etc. Ther | WHERE 421312 witter.

et (Std gaf act applicable agrees in provide the set of the set of

1. Be virtue of the power confirmed as it by the BEREAU OF INDEXS STANDARDS ACT, 1986(5) of 1980 the BEREAU north-power to

M'8 SAINT GOBAIN INDIA PYT LTD NARE & VADAVALI VILLAGE P.O. UCHAT RADA, JIST. PALGHAR 421 312

executive cannot the support of the interval to pay the Sandhof Mark act wai to the Det collarse of the First Markol. 2016, appen in its support of the antiskepticate set and its the accords collarses of the said floatballs which and antiskeptication and the effective to the infand fullars Namhachrit referent to be the third polarize of the said



atom They STANDARD MARK (1)	atignatekin AATICLEPHOCEER (25	kitabe mon Halan standards (9
(Fer 1)	मोटाई 8.5 जिमी, 12.5 जिमी और 15 जिमी के जिप्तास दिवार भोडे	भाषा : उस्का(PART 1)=3001 दिप्तम के जगहर बोर्डन मान - 1 सदी दिप्तम के प्रमार बोर्ड्स
	Gypsam Wallbeards of Thickness - 93mm, 125mm, & 15mm	IS 2005 (PART I) : 2001 GVESUM PLASTER BOARDS PART I - PLAIN GVESUM PLASTER BOARDS



#### ▶ LODHA WORLD TOWER, MUMBAI



Project Name: Lodha World Towers City: Mumbai

Project Details: The world's tallest residential towers with designs from Armani Casa consisting of 2 towers, World One - 117 storeys & World Crest - 84 storeys

Project Highlights: Complete Gyproc performance drywall systems in all internal areas including bathrooms and shaft walls. The highlight of this project is the installation of Secure Wall (high security drywalls with a GI sheet layer in between) for the room to corridor drywalls.



#### ST. REGIS, MUMBAI





#### Project Name: St. Regis

City: Mumbai

**Project Details:** St. Regis (Shangri-La) Mumbai is a 5 Star Hotel with 400+guest rooms, service apartments, banquet halls, spa, Gymnasium & BOH areas across 44 stories. It is a landmark project as a hotel made completely by drywall construction. It stands above a shopping mall, light weight construction was a key design criteria in all areas

**Project Highlights:** All the spaces have been made using Gypsum drywall & ceiling construction is first of its kind in India. Banquets walls are fire rated drywalls of 9.5 meter height. Gyproc metal ceiling haven in used in BOH area.

#### J.W. MARRIOTT, NEW DELHI



Project Name: J.W. Marriott

City: New Delhi

**Project Details:** J.W. Marriott, New Delhi is a 5 star luxury hotel located closest to the international airport. Best suited for business and leisure travellers across the world.

**Project Highlights:** J.W. Marriott has 550 rooms, Complete guest rooms are constructed with Gypsum Drywall. Ceilings in the common area and shaft closure in certain areas has been done by Gyproc

#### HILTON GARDEN INN, TRIVANDRUM





#### Project Name: Crowne Plaza

City: Cochin

Project Details: 270 + room of deluxe hotel, which is operated by IHG group & owned by KGA Group.

**Project Highlights:** Gyproc performance drywall & ceiling systems have been used in all the guestrooms & banquet halls as well. This is one of the 1st drywall projects of india in the hospitality industry.



Project Name: Hilton Garden Inn

City: Trivandrum

**Project Details:** Old Hotel property was reconstructed along with new building. Both the blocks are done with Gyproc drywall systems.

**Project Highlights:** Hilton Garden Inn is a 4 star hotel with 180 rooms. Complete Gyproc performance drywall system and shaft closure have been used in all internal areas.



#### **BEAMS HOSPITAL**





Project Name: Beams Hospital

City: Bengaluru and Hyderabad

Project Details: Beams Hospital aims at providing international quality surgical expertise, supported by pleasing ambience, world-class facilities and state-of-the-art equipment to its patrons.

Project Highlights: Complete Gyproc performance drywall systems in all internal areas including wet areas.

#### FORTIS HEALTHCARE, KOLKATA



Project Name: Fortis Healthcare

City: Kolkata

Project Details: The 10-storied, sprawling 3 lakh square feet facility is equipped with the latest in the medical world. The 400 bedded hospital is easily accessible too, located on EM Bypass road.

Project Highlights: Complete Gyproc performance drywall systems in all internal areas except the wet areas. The performance rating adheres to all the International standards for Healthcare environment.

#### ASIAN HEART INSTITUTE, MUMBAI



#### Project Name: Asian Heart Institute

City: Mumbai

Project Details: The hospital has a Patient-centric design with stress on safety and comfort of Patients. All Patient areas have been designed to minimize the risk of infection.

Project Highlights: Complete Gyproc performance drywall systems in all internal areas including wet areas. The highlight of this project is that, Drywalls were preferred to conventional system because of the reduction in dead load.

#### DRML DELHI



Project Name: Dr. Ram Manohar Lohia Hospital (DRML) City: Delhi

in Delhi.

wet areas. First comprehensive Drywall project in the government sector.

- Project Details: An entirely new building based on the PEB concept in the premises of the famous DRML hospital
- Project Highlights: Complete Gyproc performance Drywall systems have been used in all internal areas except the



#### LEBUA DWARKA, NEW DELHI



#### Project Name: Lebua Dwarka

#### City: New Delhi

**Project Details:** Lebua Hotels & Resorts has made an entry in india with 400 rooms property. This hotel exhibits complete Gyproc range for walls & ceilings.

**Project Highlights:** Complete Drywall Partition system has been used in all the internal guestroom areas including corridor, wet areas. Duraline board are in corridor to give higher impact resistance to the wall. Ceilings of public area and back of house area have also been done by the Gyproc. Lounge area is used with Gyproc Acoustic ceiling. Gyproc Metal ceiling is used in Kitchens

#### COURTYARD MARRIOTT, HYDERABAD



#### Project Name: Courtyard Marriott

City: Hyderabad

**Project Details:** Overlooking Husaain Sagar Lake. This is an extension of existing Marriott hotel which is completely done in drywall construction.

**Project Highlights:** Complete 115 Guestrooms are constructed with Gyproc drywall systems. False ceiling in all the areas is with Gypsum ceiling.

#### ISB, HYDERABAD & MOHALI



#### Project Name: ISB

City: Hyderabad & Mohali

**Project Details:** This is one of the premium management institutes of India, which provides best of facilities to their students.

**Project Highlights:** Gyproc drywalls have been used widely in both the campuses. Hyderabad campus Class room have used Gyproc fire line system. Gyproc high impact resistance systems(98 mm) have been used in classrooms for room to room & complete corridor walls in Mohali campus. Gypsum ceiling is widely used in complete common area such as corridors, pantry, administrative buildings in both the campuses.

#### M/S SASI BUSINESS SCHOOL, CHENNAI



Project Name: M/s Sasi Business School

City: Chennai

Project Details: Seminar Cum Multipurpose Auditorium, done with double layer duraline system for isolation.Project Highlights: The highlight of this project is that, this B-School required rapid construction with 70mm ultra

**Project Highlights:** The highlight of this project is that, this E stud with double layer Duraline board.



#### CUMMINS, PUNE



#### Project Name: Cummins

#### City: Pune

**Project Details:** The Company takes pride in manufacturing engines, generators, filters and related products that serve the varied needs of its customers worldwide

**Project Highlights:** A remarkable project in terms of greater height. Drywall systems showcasing a 13.5 meter high Drywall Partition system.

#### FIAT INDIA, PUNE



Project Name: Fiat India

City: Pune

**Project Details:** The state-of-the-art facility at Ranjangaon, which is owned by FIAT, a joint venture company, is capable of producing 200,000 cars and 350,000 engines, besides 300,000 parts & accessories.

**Project Highlights:** A remarkable project in terms of greater height Drywall systems showcasing a 12 meter high Drywall Partition systems spanning the length and breadth of the facility.

#### CATER PILLAR INDIA, CHENNAI



#### Project Name: Cater Pillar India

City: Chennai

Project Details: Cater pillar is a global leading manufacturer of construction and mining equipment.

**Project Highlights:** Complete Gyproc performance drywall systems in all internal areas including wet areas. The highlight of this project is that, it required 8m high industrial Partition done by 46mm ultra stud with double layer Duraline board.

#### DELHI T3 AIRPORT TERMINAL, DELHI



Project Name: Delhi International Airport Ltd.

City: Delhi

**Project Details:** This is one of the largest infrastructure project of recent years. which is one of biggest airport in the country catering heavy air traffic.

**Project Highlights**: Gyproc has been key contributor in the faster delivery of this project. Gyproc drywalls & ceilings have been extensively used in the project. Gypsum ceiling (plain, two hour fire rated & grid ceiling) have been used in pier levels, PTB areas. Gypsum drywall have been used Retail showrooms (shop to shop), airport services building.



## Ascentis

1 May 2017

M/s. Saint-Gobain India Pvt Bangalore.

Courtyard Marriot & Fairfield Marriot Hotels was constructed in Bellandur, Outer Ring Road at Bangalore.

339 numbers of Guest Rooms were built with Gypsum Drywall of M/s Saint Gobain India Pvt Ltd (Gyproc). Drywalls system was used to construct Room to Room Partition Walls, Bath Rooms, Corridor Walls & Shaft Walls.

The benefits received by using drywall partition system, instead of conventional block wall construction, can be summarized as below:

- 1. Saving in Construction Water Saving of 1.29 Mn Liters of water, which is equivalent to Water requirement for 100 Households for a period of one month
- 2. Lesser Unskilled Worker Force Reduction in average labour requirement by 77 workers/day, for a period of 9 months (Installation + Material Handling). Also, with less crowding of manpower at site, the risk of safety related incidents was reduced
- 3. Lighter Foundations/Saving in Structure Potential of saving of around 170 Tons of Steels on Slab & Beams only
- 4. Faster Construction Contributed in timely completion of project ~saving of 3-4 months of fit out period.

The work was executed by interior contractors with Saint Gobin team supporting on Quality Assurance and method statements.

The project was completed and opened commercial operation in Dec 2015.

We as project managers appreciate the efforts by M/s. Saint-Gobain India Pvt Ltd for proactive support at each stage of the project, starting from Design Solutions to the successful execution at the site.

We wish them success in their future projects and recommend Drywall system as a modern construction material for internal masonry.

With best wishes!

Salil Khare Project Director

## HPD CONSULTANTS

M/s Saint Gobain India Pvt Ltd Chennai,

Mercure Hotel - Oragadam Chennai, is an Accor brand business class hotel. The construction was managed by M/s HPD Consultants. M/s Saint Gobain India Pvt Ltd (Gyproc) 122mm drywall partition system was used for constructing partitions between the guest rooms nd other areas of the hotel. Scope of Saint Gobain drywall system is 100 guest rooms of 1210sqm drywall area. By using drywall partition system vs conventional block wall construction, the advantages are summarized below.

- (installation + Material Handling)
- Rs. 20,436.
- 3. Faster Construction Project time saving of over 2 months
- 4. Space saving of 11.555 Sqm contributed by lesser thick walls
- 5. Dead Load saving of 243 metric tons due to lighter thick walls
- also considered.

Usage of drywall has provided better Sound Insulation and Thermal Insulation, thus energy saving compared to block wall. Ease of MEP working & dry construction helped us in maintaining a clean construction site and reduced safety risks at site during construction.

We as Project Managers appreciate the efforts by M/S Saint Gobain India Pvt Ltd for their excellent support at each stage of the project, staring from Design Solutions to the completion of drywall construction at the site.

We wish them success in their future projects and recommend Drywall as a modern construction material for internal masonry.

For HPD Consultants

Hashmat Masood Director

19 May 2017

1. Lesser Unskilled Workforce - Material handling and labour cost saving of seven lakh rupees which is equivalent to reduction in labour requirement by 20 workers/day, for a period of 3 months

2. Saving in Construction Water - Water saving of 1,13,535 litres which is equivalent to 30,000 gallons of water (or) requirement of water for 10 households for a period of one month (or)

6. If building was designed for drywall, there could have been an additional saving of 17 metric tons of steel in Slab & Beams, resulting in structural cost saving. Saving may be higher if foundations are





18th August 2017

#### M/s Saint Gobain Gyproc India Pvt Ltd.

Ginger is a hotel project situated in Lucknow comprising of 50 rooms if different types on G+5 floors. All the internal walls are made of Saint Gobain Gyproc drywalls of different type. Saint Gobain has designed the drywalls and provided technical support on site.

The benefits received by using drywalls instead of conventional wall construction can be summarized as below:

- 1. Saving of Water Water Saving of 1.21 lac litter which is equivalent to 1031 barrel or requirement of 10 houses for 30 days.
- 2. Space Saving Bigger rooms and increased carpet area in the hotel rooms because of less thickness of walls. As per calculation of walls 5% spaces increased in the rooms.
- 3. Structural Cost Saving The structure was designed considering the weight of drywall which derived considerable saving quantity of steel in column and Beam.
- 4. Time Saving Drywall is a faster construction work and surely it does save time once phasing/sequencing of construction is done. For a hotel of this magnitude an overall saving in time by 1.5 months was possible.
- 5. Dead load saving Drywall has saved 150 tons due to its light weight.

Usage of Drywall has provided some other benefits like

- 1. Flexibility in repairing in case of need.
- 2. Easy to find water leakage source in wet area.
- 3. Heat and Sound insulation is achieved far better than block work.
- 4. Future alterations of walls are very easy and faster.

We appreciate Saint Gobain Gyproc Team and their support in every stage of project starting from design solution to completion of Drywall execution.

We wish them success in their future projects and recommend drywall as a modern construction technique for internal walls.



81



Rudrabhishek Enterprises Pvt. Ltd. round floor.YUVA Bhawan Lucknow, Uttar Pradesh - 226001, India Telefax no- +91-522-2206165

## DRYWALL PROJECT EXECUTED **ACROSS INDIA** Jalandhar Roht Mohal Sonepa )adri Gurga Neemran Δlwa hmedahad Mumba Goa Mangalo Payyar Chennai Trichy Pathanamthitta Metros Madurai Trivand Non Metros • DW Project • DW references in 20 States



Penetration across 9 Metros and 35+ Non Metros

82